

CARBON8

ADD SPARKLE
TO YOUR H2O



Distinctive
by design.



HYDR8

329 38th 2nd FL
Brooklyn, New York, 11232

(718) 313-0113 | www.hydr8.nyc

Compact design for flexibility
Hygienic and ergonomic, B4 flourishes in all environments – from boardroom to sports hall. Its compact size, large dispense area for bottles, multiple water options and flexible configuration make it Borg & Overström's most popular model.

Reasons to choose

- Ultra-hygienic touch-sensitive control panel
- High capacity dispense area for bottles and jugs
- Sealed, hygienic, direct-chill cooling system
- Floorstanding option comes complete with an internal alarmed waste kit
- Unique countertop sparkling model



Distinctive
by design.


CARBON8
ADD SPARKLE
TO YOUR H2O

Water system



Direct Chill

Configurations



Countertop



Floorstanding

Water options




Chilled



Ambient



Hot



Sparkling

Available colour



Silver



Distinctive
by design.

CARBON8
ADD SPARKLE
TO YOUR H2O

Borg & Overström Totality®



Driven by a relentless pursuit of excellence, Borg & Overström Totality® is a research and development methodology for the advancement of hygiene, innovation and technology in refreshment systems.



Biofilm, limescale and impact resistant epoxy resin panel finish. Providing an increased level of hygiene and longevity, Fynil™ is a scratch and impact resistant epoxy-resin surface finish - effectively resisting biofilm development and limescale cohesion.



Laboratory certified 99.999% bacteria-reduced. Every Borg & Overström appliance undergoes an anti-microbial, antipathogen, sanitizing procedure. The reassurance of hygienically safe appliances is provided by the unique bacteria-reducing process, Sterizen™.

Distinctive
by design.


B4 models

	Countertop W13"x D18.5"x H16.25"	Water system	Dispense height	Max power consumption	Silver
Power requirements 100-115 VAC 50Hz	Chilled, Hot & Ambient	Direct Chill	10.75"	600 Watts	103550
Chilled temperature 36.8° - 51.5° F	Chilled, Hot & Sparkling	Direct Chill	10.75"	600 Watts	103546
Hot temperature 198° F	Floorstanding W13"x D18.5"xH52.25"				Silver
Throughput gallons per hour Chilled 9.2/Hot 1.6	Internal dimension - W11"xD13"xH32.6"			Base cabinet	103910



329 38th 2nd FL
Brooklyn, New York, 11232

(718) 313-0113 | www.hydr8.nyc



Totality, Sterizen and Fynil are registered trademarks.

CARBON8

ADD SPARKLE
TO YOUR H2O